

# TERABANT PRODUCT CATALOG



## TERAKOM

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomentprises.com](http://www.terakomentprises.com)

**Terakom Bil.Sis.San.Tic.lth.lhr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumurut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

# TBSL Labels



**Product Code:** TBSL

**Width:** 1"

**Length:** 2"

**Color:** Red, blue, yellow or custom color

**Application Areas:** Carton corrugated boxes, metal containers, and paper envelopes

**Film / Material:** Polyester

**Top Print:** Custom text and logo

**Hidden Message:** "Opened" or "Void" standard or custom message

**Glue Type:** Hot melt glue

**Film Thickness:** 0,025 mm

**Glue Thickness:** 0.030 mm – 0.035 mm

**Total Thickness:** 0.055 mm – 0.060 mm

**Test Conditions:** 25°C temperature, 55% laboratory humidity

**Storage Conditions:** Store at room temperature in dark place or a shade. Must be protected from cold, high heat, sun light and moisture.

**Shelf Life:** From eight (8) months to one (1) year, under proper storage conditions.

## TERAKOM

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumrut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

**Product Information:**

Terabant™ TBSL labels offer a perfectly suited and reliable solution for a wide variety of transport, shipping and storage applications such as corrugated boxes, metal containers and paper envelopes, warranty seal, envelope seals, validation materials for documents and devices, security closure protection systems and more. Designed as a self-adhesive, tamper-evident product for corrugated boxes, metal and paper surfaces, Terabant™ TBSL labels reveal a hidden message when peeled away from target surface. Additional features include full customization with a unique logo, text, unique hidden message supported in many languages and advanced anti-counterfeiting measures such as a barcode. Terabant™ TBSL labels are available in variety of sizes, and supplied in rolls and sheets.

We are fully committed to providing a best quality, unique and affordable solution based on your specific needs and requirements.

- Sequentially numbered
- Rolls or sheets for easy application
- Bar coding available
- Standard colors: Red, blue, yellow or custom color
- Prices vary based on quantity ordered and custom work done
- For more information please email us at: [info@terakom.com](mailto:info@terakom.com)


**TERAKOM**

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.lth.lhr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumrut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

# TBFT Labels



**Product Code:** TBFT

**Width:** 1"

**Length:** 2.5"

**Color:** Red and white, matrix blue and white or custom color

**Application Areas:** Envelopes, metal containers, pharmaceutical and plastic containers.

**Film / Material:** Polyester

**Top Print:** Custom text and logo

**Hidden Message:** "Opened" or "Void" standard or custom message

**Glue Type:** Hot melt glue

**Film Thickness:** 0,025 mm

**Glue Thickness:** 0.030 mm – 0.035 mm

**Total Thickness:** 0.055 mm – 0.060 mm

**Test Conditions:** 25°C temperature, 55% laboratory humidity

**Storage Conditions:** Store at room temperature in dark place or a shade. Must be protected from cold, high heat, sun light and moisture.

**Shelf Life:** From eight (8) months to one (1) year, under proper storage conditions.

## TERAKOM

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumrut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

**Product Information:**

Terabant™ TBFT labels offer a perfectly suited and reliable solution for a wide range of equipment warranty seals, envelope seals, validation materials for documents and devices, clinical pharmaceutical studies, electric meter seals and security closure for protection of assets against unauthorized entry. Designed as a self-adhesive, tamper-evident, sequentially numbered security product, Terabant™ TBFT labels reveal a hidden message when peeled away from target surface. Ideally suited for receipt assets and information tracking, Terabant™ TBFT labels come with sequentially numbered sets of two or three seals with the same serial number, manufactured in "piggyback" format where two seals are delivered atop one another on a release liner for applications to forms, or multiple seals are needed to travel with the document such as in drug test and evidence collection kits. Terabant™ TBFT labels provide additional features include full customization with a unique logo, text, unique hidden message and advanced anti-counterfeiting measures such as a barcode, based on customer requirements. Terabant™ TBFT labels are available in variety of sizes, and supplied in rolls and sheets as needed, fully compatible with standard label dispensing equipment. They can also be applied by hand.

We are fully committed to providing a best quality, unique and affordable solution based on your specific needs and requirements.

- Sequentially numbered
- Rolls or sheets for easy application
- Bar coding available
- Standard colors: Red and white, matrix blue and white
- Prices vary based on quantity ordered and custom work done
- For more information please email us at: [info@terakom.com](mailto:info@terakom.com)

**TERAKOM**

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.lth.lhr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumurut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

# TBNR Labels



**Product Code:** TBNR

**Width:** 1"

**Length:** 6"

**Color:** Blue, red, yellow or custom color

**Application Areas:** Carton corrugated boxes, metal containers, glass, and paper envelopes.

**Film / Material:** Polyester

**Top Print:** Custom text and logo

**Hidden Message:** "Opened" or "Void" standard or custom message

**Glue Type:** Hot melt glue

**Film Thickness:** 0,025 mm

**Glue Thickness:** 0.030 mm – 0.035 mm

**Total Thickness:** 0.055 mm – 0.060 mm

**Test Conditions:** 25°C temperature, 55% laboratory humidity

**Storage Conditions:** Store at room temperature in dark place or a shade. Must be protected from cold, high heat, sun light and moisture.

**Shelf Life:** From eight (8) months to one (1) year, under proper storage conditions.

## TERAKOM

**Terakom Enterprises Inc.**

7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.lth.lhr.Ltd.Sti.**

Bulgurlu Mah. Libadiye Cad. Zumurut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

**Product Information:**

Terabant™ No-Residue labels offer all advantages of standard tamper evident tape, with the added benefit of a no residue void message. To provide greater variability they come in red, blue, or green. Particularly suited for sensitive surfaces such as glass, plastic and metal this product provides a great alternative for applications where adhesive residue cleanup is undesirable. Due to lack of residue, they are also often used as a self validating packaging for tamper evident labels on plastic, glass and metal bottles or containers, pharmaceutical products, computers parts and electronic devices.

Being printable and die cut compatible, Terabant™ No-Residue labels are easily used with traditional label dispensing machinery. Due to easy removal, non-stating and unique numbering features, Terabant™ No-Residue labels make a much better choice than fragile acetate film.

- No-Residue
- Sequentially numbered
- Stock sizes: 1/2"x2", 1"x1", 1"x2", 1"x3", 1"x4"
- Prices vary based on quantity ordered and custom work done
- For more information please email us at: [info@terakom.com](mailto:info@terakom.com)

**TERAKOM**

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumrut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

# TBWAR Labels

YIRTILDIĞINDA  
GARANTİ  
DIŞIDIR

WARRANTY  
VOID IF  
SEAL BROKEN

GEÇERSİZ GEÇERSİZ  
RSİZ GEÇERSİZ GEÇ  
GEÇERSİZ GEÇERSİZ

VOID VOID VOID  
ID VOID VOID VO  
VOID VOID VOID

**Product Code:** TBWAR

**Width:** 1"

**Length:** 2"

**Color:** Red, blue, yellow or custom color

**Application Areas:** Metal containers, metal, glass, plastic surfaces and electronic devices

**Film / Material:** Polyester

**Top Print:** Custom text and logo

**Hidden Message:** "Opened" or "Void" standard or custom message

**Glue Type:** Hot melt glue

**Film Thickness:** 0,025 mm

**Glue Thickness:** 0.030 mm – 0.035 mm

**Total Thickness:** 0.055 mm – 0.060 mm

**Test Conditions:** 25°C temperature, 55% laboratory humidity

**Storage Conditions:** Store at room temperature in dark place or a shade. Must be protected from cold, high heat, sun light and moisture.

**Shelf Life:** From eight (8) months to one (1) year, under proper storage conditions

## TERAKOM

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumurut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)



**Product Information:**

Terabant™ TBWAR labels offer an ideal solution for a wide variety of applications for metal containers and metal, glass, plastic surfaces. Designed as a self-adhesive, tamper-evident product, Terabant™ TBWAR labels reveal a hidden message when peeled away from target surface. Additional features include full customization such as a unique logo, text, unique hidden message supported in many languages, advanced barcode anti-counterfeiting measures and sequential numbering for assets and information tracking. Terabant™ TBWAR labels are available in variety of sizes, and supplied in rolls and sheets, as needed, fully compatible with standard label dispensing equipment. They can also be applied by hand.

We are fully committed to providing a best quality, unique and affordable solution based on your specific needs and requirements.

- Sequentially numbered
- Rolls or Sheets for easy application
- Bar coding available
- Prices vary based on quantity ordered and custom work done.
- For more information please email us at: [info@terakom.com](mailto:info@terakom.com)

**TERAKOM**

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumrut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

# TBPHA Labels

IF THW WORD "STOP" APPEARS RETURN TO PHARMACY

STOP STOP STOP STOP STOP STOP STOP STOP

**Product Code:** TBPHA

**Width:** 0.375"

**Length:** 5.25"

**Color:** Red, blue, yellow or custom color

**Application Areas:** Glass, and plastic containers.

**Film / Material:** Polyester

**Top Print:** Custom text and logo

**Hidden Message:** "Opened" or "Stop" standard or custom message

**Glue Type:** Hot melt glue

**Film Thickness:** 0,025 mm

**Glue Thickness:** 0.030 mm – 0.035 mm

**Total Thickness:** 0.055 mm – 0.060 mm

**Test Conditions:** 25°C temperature and 55% laboratory humidity

**Storage Conditions:** Store at room temperature in dark place or a shade. Must be protected from cold, high heat, sun light and moisture.

**Shelf Life:** From eight (8) months to one (1) year, under proper storage conditions.

## TERAKOM

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.lth.lhr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumrut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

**Product Information:**

Designed for pharmaceutical industry, Terabant™ TBPBA labels offer an ideal solution for a wide variety of applications such as chemicals and products transport and shipping, storage and warehousing, storage containers, test tube samples, biohazard material shipping transport and storage, pharmaceutical cases and vials, security shipment seals, documents and devices, clinical pharmaceutical studies and more. Designed as a self-adhesive, tamper-evident product for glass, and plastic container surfaces, Terabant™ TBPBA labels reveal a hidden message when peeled away from target surface.

Additional features include full customization such as a unique logo, text, unique hidden message supported in many languages, advanced barcode anti-counterfeiting measures and sequential numbering for assets and information tracking. Terabant™ TBPBA labels are available in variety of sizes, and supplied in rolls and sheets.

We are fully committed to providing a best quality, unique and affordable solution based on your specific needs and requirements.

- Sequentially numbered
- Bar coding available
- Standard colors: Red, blue, yellow or custom color
- Prices vary based on quantity ordered and custom work done
- For more information please email us at: [info@terakom.com](mailto:info@terakom.com)

**TERAKOM**

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumrut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

# TBLL Labels

**TERABANT™**

Any attempt to remove this label  
will leave evidence of tampering

Toute tentative à retirer cette étiquette  
déteçtera une évidence d'interférence

VOID VOID VOID VOID VOID VOID  
D VOID VOID VOID VOID VOID VO  
VOID VOID VOID VOID VOID VOID  
D VOID VOID VOID VOID VOID VO  
VOID VOID VOID VOID VOID VOID  
D VOID VOID VOID VOID VOID VO  
VOID VOID VOID VOID VOID VOID  
D VOID VOID VOID VOID VOID VO  
VOID VOID VOID VOID VOID VOID  
D VOID VOID VOID VOID VOID VO

**Product Code:** TBLL

**Width:** 3"

**Length:** 5"

**Color:** Red, blue, yellow or custom color

**Application Areas:** Corrugated boxes, metal containers and paper envelopes.

**Film / Material:** Polyester

**Top Print:** Custom text and logo

**Hidden Message:** "Void" or "Opened" standard or custom message

**Glue Type:** Hot melt glue

**Film Thickness:** 0,025 mm

**Glue Thickness:** 0.030 mm – 0.035 mm

**Total Thickness:** 0.055 mm – 0.060 mm

**Test Conditions:** 25°C temperature, 55% laboratory humidity

**Storage Conditions:** Store at room temperature in dark place or a shade. Must be protected from cold, high heat, sun light and moisture.

**Shelf Life:** From eight (8) months to one (1) year, under proper storage conditions.

## TERAKOM

**Terakom Enterprises Inc.**

7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**

Bulgurlu Mah. Libadiye Cad. Zumurut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

**Product Information:**

Terabant™ TBLL labels are 3"x5" polyester, self-adhesive, tamper-evident seals. They are used as a security protocol for variety of applications, boxes, packages and surfaces and come with unique security feature of over-laminate clear film protecting sequential number from attack and aggressive acrylic adhesive providing weather and heat resistance. Self destructing security slits are added to shred the Terabant™ TBLL labels on removal, providing the highest tamper evident security feature of any other label in the class. Applications are done by hand by removing protective paper backer and sticking them to the surface or product in question over or under the keeper bars. Customarily used for visual identification of tampering, these seals act as a silent sentry to monitor your shipments and products, plastic bags and seals, and more. Custom manufacturing with unique information, visual or hidden message is available, supported for multiple language providing enhanced seal understanding in any country.

- TBLL labels are sequentially numbered for identification
- Rolls or sheets for easy application
- Bar coding available
- Standard colors: Red, blue, yellow or custom color
- Prices vary based on quantity ordered and custom work done
- For more information please email us at: [info@terakom.com](mailto:info@terakom.com)

**TERAKOM**

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumrut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

# TBTET Tapes



**Product Code:** TBTET

**Width:** 1" to 2"

**Length:** 5000 feet / 1500 meters per roll

**Color:** Red, blue, yellow or custom color

**Application Areas:** Plastic security bags

**Film / Material:** Polyester

**Top Print:** Custom text and logo

**Hidden Message:** "Void" or "Opened" standard or custom message

**Glue Type:** Hot melt glue

**Film Thickness:** 0,025 mm

**Glue Thickness:** 0.030 mm – 0.035 mm

**Total Thickness:** 0.055 mm – 0.060 mm

**Test Conditions:** 25°C temperature, 55% laboratory humidity

**Storage Conditions:** Store at room temperature in dark place or a shade. Must be protected from cold, high heat, sun light and moisture.

**Shelf Life:** From eight (8) months to one (1) year, under proper storage conditions.

## TERAKOM

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumurut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

**Product Information:**

Terabant™ TBTET tape is designed to work with plastic security bags. With its tamper evident plastic sealing features, this tape provides authenticity, assurance and advanced protection against theft and unauthorized entry. Particularly well suited for secure transport of valuable merchandise, its unique features are enhanced through TBTET tape; Terabant™'s tamper evident security tapes for plastic security bags.

Additional features include barcode and sequential numbering done every few inches, providing instant identity to the plastic security bags. To meet the diverse needs of our clients, we support custom sized rolls for up to 5000' for automated applications.

When peeled away from target surface, Terabant™ TBTET tape displays a hidden message as visual proof of tampering. Regardless of application, Terabant™ TBTET tape provides secure merchandise transport and advanced theft protection. Acting as a silent sentry, it guards and provides improved security for all your unattended assets. Ideally suited for a wide range of applications, Terabant™ TBTET tape is a perfect choice for any business looking for the ultimate tamper evident solution.

- Sequentially numbered
- Rolls or Sheets for easy application
- Bar coding available
- Prices vary based on quantity ordered and custom work done.
- For more information please email us at: [info@terakom.com](mailto:info@terakom.com)

**TERAKOM**

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumurut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)

# TBCBT Tapes



**Product Code:** TBCBT

**Width:** 50mm

**Length:** 50 meters / 100 meters per roll

**Color:** Red, blue, yellow or custom color

**Application Areas:** Corrugated boxes

**Film / Material:** Polyester

**Top Print:** Custom text and logo

**Hidden Message:** "Void" or "Opened" standard or custom message

**Glue Type:** Hot melt glue

**Film Thickness:** 0,025 mm

**Glue Thickness:** 0.030 mm – 0.035 mm

**Total Thickness:** 0.055 mm – 0.060 mm

**Test Conditions:** 25°C temperature, 55% laboratory humidity

**Storage Conditions:** Store at room temperature in dark place or a shade. Must be protected from cold, high heat, sun light and moisture.

**Shelf Life:** From eight (8) months to one (1) year, under proper storage conditions.

## TERAKOM

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumurut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)



**Product Information:**

Terabant™ TBCBT tape is designed to work on corrugated boxes. Corrugated boxes are challenging materials for security tapes and labels due to difficult texture. This product is custom designed for use on corrugated boxes.

Terabant™ TBCBT tape allows for logo and/or custom text printing in any color and any language on the top of the tape. As no liner is used, it is easy to apply Terabant™ TBCBT by tape dispenser.

Terabant™ TBCBT is a perfect choice for any business with wide range of applications, and can be used in logistics, food, production, security, health, etc. sectors which use corrugated boxes.

- Single color logo or text printing
- No liner
- Easy application by tape dispenser
- Prices vary based on quantity ordered and custom work done.
- For more information please email us at: [info@terakom.com](mailto:info@terakom.com)

**TERAKOM**

**Terakom Enterprises Inc.**  
7900 Duranceau St. Montreal, QC,  
H8P 3P4, CANADA  
Tel: 1-514-228-3750 Pbx / 1-514-704-6160  
[www.terakomenterprises.com](http://www.terakomenterprises.com)

**Terakom Bil.Sis.San.Tic.Ith.Ihr.Ltd.Sti.**  
Bulgurlu Mah. Libadiye Cad. Zumurut Sok. No: 15/2  
Uskudar / Istanbul 34696 TURKEY  
Tel: 90-216-481-5326 Pbx / Fax: 90-216-481-5327  
[www.terakom.com](http://www.terakom.com)

[info@terakom.com](mailto:info@terakom.com) - [www.terabant.com](http://www.terabant.com)